Annual Drinking Water Quality Report for 2022 Village of Attica Public Water Supply Dunbar Road, Attica, New York (Public Water Supply ID# NY6000607)

Introduction

To comply with State regulations, **The Village of Attica Public Water System** will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, we conducted tests for many different contaminants. Some of these were tested daily. The other contaminants were tested in accordance with State and Federal guidelines. We did have some occasions where our results that were higher than the State allows. However, none of the violations were an immediate threat to public health. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it picks up many naturally occurring materials as well as materials resulting from animal and human activities. Contaminants that maybe present in the water source include: microbial, inorganic, pesticides and herbicides, organic and radioactive. To ensure that water provided to the public is safe the New York State Health Department and the Environmental Protection Agency regulate strict water quality standards.

Our public water supply utilizes three manmade reservoirs located along Crow Creek. These reservoirs are all located south of the Village of Attica. Raw water enters the treatment plant through a 16" ductile iron pipe and is currently dosed with Sodium Permanganate. This chemical is a strong oxidant and has taken the place of pre-filter chlorine as part of our efforts to reduce disinfection by-products in our system. The water is then strained to remove sticks, stones, plants, etc. Polyhydroxyaluminumchloride (PAC) is added as a coagulant to help remove suspended dirt, silt and color. We also treat with powdered activated carbon on an 'as needed' basis. Activated carbon is a porous material that removes organic compounds from liquids by a process known as "adsorption." This material is commonly used in water treatment to reduce taste and odor and generally improves water quality. The treated water flows through two flocculation chambers and into a settling chamber. Most of the coagulated materials are trapped in the settling tubes and the settled water then flows through a mixed media filter. These filters contain layers of anthracite coal, silica sand and fine, high density sand. Filtered water is collected by an under drain system receives a precisely metered dose of hydrofluorsilicic acid (fluoride). The finished water is also treated with a polyorthophosphate. This chemical reduces lead and copper corrosion in the distribution system by forming a protective barrier between the water and the metal surfaces that it comes in contact with. It also controls iron and manganese through sequestration, which reduces staining of fixtures and clothing. A final dose of chlorine is injected to insure that we maintain a suitable residual through the entire water system.

Source Water Assessment

The New York State Health Department has completed a source water assessment for this system based on available information. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can enter our source water. For more information on this assessment contact the Village Office.

The assessment found an elevated susceptibility to contamination for this source of drinking water. The amount of animal pasture land in the assessment area results in a high potential for protozoa contamination. No permitted discharges are found in the assessment area. There are no noteworthy contamination threats associated with other discrete contaminant sources. Finally, it should be noted that hydrologic characteristics (e.g. basin shape and flushing rates) generally make reservoirs highly sensitive to existing and new sources of phosphorus and microbial contamination.

The county and state health departments will use this information to direct future source water protection activities. The Village of Attica and the New York Rural Water Association have developed a written **Source Water Protection Plan** for our water supply. The plan addresses our watershed (water supply area) with regards to potential contaminants, susceptibility to contamination, source protection, best management practices and water system security and protection. In addition to these measures the Village of Attica has an approved set of watershed rules

and regulations that regulate many activities that could have negative impacts on water quality.

Facts and Figures

Water is essential for all life. Besides drinking, food preparation, bathing and recreation, water is used to fight fires and numerous industrial applications. Our water system serves approximately 2,659 people in the Village of Attica. Approximately 4,350 additional people receive water from this treatment facility through outside sales. This is accomplished through our 974 service connections. The total water production for our treatment plant in 2022 was 301,613,000 gallons. The amount of water delivered to customers was 233 million gallons. This leaves an unbilled water for a total of 33 million gallons. This water was used to flush mains, fight fires, splash pad and leakage, accounts for the remaining 33 million gallons (9.13 % of the total amount produced). The cost per thousand gallons of water for residential customers was \$2.75 in 2022. The average residential customer who used 12,000 gallons of water per quarter paid a total of \$132.00 in 2022, or about \$1.44 per day, to be provided with a plentiful supply of safe, high quality drinking water.

We urge you to contact us if you know of any leaks, theft or other unmetered water usage anywhere in our system. In the end everyone pays for the theft and or loss of this precious resource.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, and synthetic organic compounds. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, may be more than one year old.

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of Attica is responsible for providing high quality water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home, You share the responsibility for protecting yourself and your family from lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower doing laundry or a load of dishes. You can also use a filter certified by America National Standard Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested contact Village of Attica Chief Operator, Matthew Durfee at (585)-591-0040. Information on lead in drinking water, testing, methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Wyoming County Health Department at 786-8894. If you receive your water or water bill directly from the Village of Alexander, the Attica or Wyoming Correctional Facilities there may be additional water quality testing data available to you. Contact your supplier directly.

Table of Detected Contaminants								
Contaminant	Violation Yes/No	Date of most current Sample	OUR RESULTS	Unit Measure- ment	MCL	Likely source of Contamination	Health information for you and your family	

			Table	of Dete	ected Co	ontaminants	
Contaminant	Violation Yes/No	Date of most current Sample	OUR RESULTS	Unit Measure- ment	MCL	Likely source of Contamination	Health information for you and your family
Turbidity (1)	NO	continuous (recorded every four hours)	98.25% ≤ 0.3 NTU	NTU	TT=95% of samples ≤ 0.3 NTU	soil runoff	No health effects, but, can interfere with disinfection effectiveness of chlorine treatment.
Turbidity (1) (highest recorded combined filter effluent)	NO	continuous (recorded every four hours)	1.350	NTU	TT = <u><</u> 1.0 NTU	soil runoff	No health effects, but, can interfere with disinfection effectiveness of chlorine treatment.
Turbidity (DISTRIBUTION SYSTEM SAMPLES) (2)	NO	One sample/day	0.2.49 NTU (0.2546hi ghest monthly average)	NTU	>5 NTU monthly average	soil runoff	No health effects, but, can interfere with disinfection effectiveness of chlorine treatment.
Copper (3)	NO	9/24/21 thru 9/29/21	0.135	ug/L	1300 action level	corrosion of household plumbing	Short term exposure: Gastrointestinal distress Long term exposure:
					systems; Erosion of natural deposits	Liver or kidney damage People with Wilson's disease should consult their doctor if the amount of copper in their water exceeds the action level	
total trihalomethanes	NO	2/ 13/22	57.2				
(4)	NO	5/ 12/22	72.9			by-product of drinking water chlorination needed to kill harmful organisms. TTHM's are formed when	Some people who drink water containing trihalomethanes in exces of the MCL over many years may experience problems with their liver
individual samples	NO	9/16/22	76.4 3.7				
	NO	11/17/22					
total	NO	2/ 13/22	74.3	ug/L	80 ug/L		
trihalomethanes (running annual	NO	5/12/22	76.6 67.7		annual running	source water contains large	kidneys, or central nervous systems and may have increased risk of
average STAGE 2)	NO	9/116/22			average	amounts of organic matter	cancer
	NO	11/ 17/22	52.5				
barium (IOC)	NO	12/20/22	0.0264	mg/L	2	discharge of drilling waste; discharge from metal refineries; erosion of natural deposits	Some people who drink water containing barium in excess of the MCL over many years could experience an increase in their bloo pressure

D Daily	0.601mg/ L annual average	mg/L			
	L annual	mg/L			
2/10/22	_		2.2	erosion of natural deposits or water additive	Many years of drinking water above the MCL could develop bone disease including pain and tenderness
2/10/22	31.3	ug/L			
5/12/22	37.9			to kill harmful organisms. organi	Some people who drink water containing haloacetic acids in exces of EPA's standard over many years may have an increased risk of gettin cancer.
9/15/22	6.0		ct		
) 11/17/22	58.4				
2 / 10/22	22.5	ug/L	60 annual running average		
b 5/ 12/22	21.6				
9 / 15/22	19.1				
D 11/ 17/22	33.4				
D 12/15/22	18.9	mg/L	(see Health Effects)	Naturally occurring; Road salt; Water softeners; Animal waste.	Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.
D Sampled continuously throughout the year	1.33mg/L average 0.69-2.87 mg/L range	mg/L	4.0	Water additive used to control microbes.	Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort.
	11/17/22 2/ 10/22 5/ 12/22 9/ 15/22 11/ 17/22 11/ 17/22 12/ 15/22 2 3 12/15/22 3 12/15/22	11/17/22 58.4 2/10/22 22.5 5/12/22 21.6 9/15/22 19.1 11/17/22 33.4 11/17/22 18.9 Sampled continuously throughout the year 1.33mg/L average 0.69-2.87 mg/L	0 11/17/22 58.4 0 2/ 10/22 22.5 ug/L 0 5/ 12/22 21.6 0 9/ 15/22 19.1 0 11/ 17/22 33.4 0 12/15/22 18.9 mg/L 0 Sampled continuously throughout the year 1.33mg/L average mg/L	0 11/17/22 58.4 0 2/ 10/22 22.5 ug/L 60 annual running average 0 9/ 15/22 19.1 average 0 11/ 17/22 33.4 mg/L (see Health Effects) 0 Sampled continuously throughout the year 1.33mg/L average mg/L 4.0	99/15/226.0chlorination needed to kill harmful organisms. Haloacetic acids are formed when source water contains large amounts of organic matter02/ 10/2222.5ug/L60 annual running averagechlorination needed to kill harmful organisms. Haloacetic acids are formed when source water contains large amounts of organic matter011/ 17/2219.160 annual running averageNaturally occurring; Road salt; Water softeners; Animal waste.012/15/2218.9mg/L(see Health Effects)Naturally occurring; Road salt; Water softeners; Animal waste.0Sampled continuously throughout the year1.33mg/L 0.69-2.87 mg/Lmg/L4.0Water additive used to control microbes.

Table of Detected Contaminants									
Contaminant	Violation Yes/No	Date of most current Sample	OUR RESULTS	Unit Measure- ment	MCL	Likely source of Contamination	Health information for you and your family		
TOC (total organic carbon)	NO	monthly	5.93aver age 4.00 - 7.21 range	mg/L	TT	Naturally present in environment	Total organic carbon (TOC) has no health effects. However, total organic carbon provides a medium for the formation of disinfection byproducts. These byproducts include trihalomethanes (THMs) and haloacetic acids (HAAs). Drinking water containing these byproducts i excess of the MCL may lead to adverse health effects, liver or kidney problems, or nervous systen effects, and may lead to an increase risk of getting cancer.		

NOTES:

- (1) Turbidity is a measure of the optical clarity of the water. We test this because it is a good indicator of the effectiveness of our filtration plant. Our highest single turbidity measurement for the year (1.350. NTU's) occurred ont July 7th, at 8:00 am. There were Thirty two additional times throughout the year when the turbidity measurements exceeded 0.30 NTU's when recorded every four hours. The State regulations require that 95% of our samples be below 0.3 NTU. Our results indicate that 98.25.% of our readings met the required treatment technique values. Although October, July 2022 was the month when we had the fewest measurements meeting the treatment technique for turbidity, the levels recorded were within the acceptable range allowed and did not constitute a treatment technique violation. Our lowest monthly average for a month wasFebruary, January and November which was 100%. With one reading for the month that did not meet the standard for the month.
- (2) We are required to collect a turbidity sample in the distribution system daily. The highest reading recorded in 2022 was 2.49 NTU's and the average was 0.149NTU's which is well below the MCL of 5.0 NTU's.
- (3) All of the Lead values were not detected in the samples we collected .. The results of the copper testing ranged from 0 0.0027to 0.135 ug/L. and the 90th percentile value was 66 ug/L. So, the action level was not exceeded in any of the 10 samples collected.

(4) The MCL violation status is based on an annual running average result. The readings shown on the bottom half of the table reflects the annual running average of all THM samples collected. The range of all samples taken was from 57.2to 76.4ug/L. Refer to section entitled "What Does This Information Mean?" for details.

- (5) The MCL violation status for HAA5 is based on an annual running average result. The readings shown on the top half of the table are individual sample sites. The bottom half of the table reflects the annual running average of all HAA5 samples collected. The range of all samples taken was from 6.0 to 58.4 ug/L. Refer to section entitled "What Does This Information Mean?" for details.
- (6) In 2022 ALL required sampling were total coliform negative (more information available under the "What Does This Information Mean?" heading.
- (7) We treat the water with chlorine to ensure that we achieve the proper level of deactivation of harmful organisms. The samples shown in the table represent the water plant effluent before our main storage tank. We also monitor chlorine levels throughout the distribution system. Compliance is based on an average of all samples collected.

DEFINITIONS;

Maximum Contaminate Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to MCLG's as feasible

<u>Maximum Contaminant Level Goal (MCLG)</u>: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety

Action Level (AL): The concentration of a contaminant which if exceeded triggers treatment or other requirements that a water system must follow

Treatment Technique (TT): A required process intended to reduce level of a contaminant in drinking water

Non-detects (ND): Laboratory analysis indicates that the contaminant is not present

Nephelometric Turbidity Unit (NTU): A measure of optical clarity of water. Turbidity in excess of 5 NTU's is just noticeable to the average person

Milligrams per Liter (mg/L): Corresponds to one part of liquid in one million parts of liquid (parts per million-ppm)

Micrograms per Liter (ug/L): Corresponds to one part of liquid in one billion parts of liquid (parts per billion- ppb)

Picocuries per liter (pCi/L): - picocuries per liter is a measure of the radioactivity in water.

WHAT DOES THIS INFORMATION MEAN?

During our 2022 Inorganics testing we had a sodium result of 18.9 mg/L. There is not a MCL established for sodium however, the recommendation is that anyone on a **severely restricted** sodium diet should avoid drinking water with levels greater than 20 mg/L. Water containing more than 270 mg/l of sodium should not be used for drinking by people on **moderately restricted** sodium diets.

The Village of Attica water system (Public Water System ID #NY6000607) was required to collect 36 total coliform tests for compliance in 2022. All of the coliform samples collected in 2022 came back NEGATIVE for total coliform.

Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present.

Cryptosporidium is a microbial pathogen found in surface water and groundwater under the influence of surface water. Although filtration removes Cryptosporidium, the most commonly-used filtration methods cannot guarantee 100 percent removal. During 2019, as part of our routine sampling, (Out of 24 samples that were taken at the intake of #2 reservoir) were collected and analyzed for Cryptosporidium oocysts. Of these samples, (Of these samples collected "before any treatment" nine were confirmed positive for Cryptosporidium. Therefore, our testing indicates the presence of Cryptosporidium in our source water). Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of Cryptosporidium may cause cryptosporidiosis, a gastrointestinal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome disease within a few weeks. However, immuno-compromised people are at greater risk of developing life-threatening illness. We encourage immuno-compromised individuals to consult their health care provider regarding appropriate precautions to take to avoid infection. Cryptosporidium must be ingested to cause disease, and it may be spread through means other than drinking water.

Giardia is a microbial pathogen present in varying concentrations in many surface waters and groundwater under the influence of surface water. Giardia is removed/inactivated through a combination of filtration and disinfection or by disinfection. During 2019, as part of our routine sampling, (24 samples were taken from# 2 Reservoir intake source water) were collected and analyzed for Giardia cysts. Of these samples, (Of these samples collected "before any treatment" seven were confirmed positive for Giardia.) Therefore, our testing indicates the presence of Giardia in our source water. Current test methods do not allow us to determine if the organisms are dead or if they are capable of causing disease. Ingestion of Giardia may cause giardiasis, an intestinal illness. People exposed to Giardia may experience mild or severe diarrhea, or in some instances no symptoms at all. Fever is rarely present. Occasionally, some individuals will have chronic diarrhea over several weeks or a month, with significant weight loss. Giardiasis can be treated with anti-parasitic medication. Individuals with weakened immune systems should consult with their health care providers about what steps would best reduce their risks of becoming infected with Giardiasis. Individuals who think that they may have been exposed to Giardiasis should contact their health care providers immediately. The Giardia parasite is passed in the feces of an infected person or animal and may contaminate water or food. Person to person transmission may also occur in day care centers or other settings where hand washing practices are poor.

INFORMATION ON FLUORIDE ADDITION

Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at a properly controlled level. To ensure that the fluoride supplement in your water provides optimal dental protection, we monitor fluoride levels on a daily basis to make sure fluoride is maintained at a target level. We have determined to use a target level of 0.60 mg/L. Our daily testing shows results ranging from 0.50 to 0.93 mg/L and we remained within 0.10 mg/L of that target dosage in 96.2% of the samples. The yearly average of daily fluoride testing was 0.601mg/L. None of the monitoring results showed fluoride at levels that approach the 2.2 mg/l MCL for fluoride.

During the calendar year of 2022 The Village Of Attica is under contract for a construction of a new water plant. This Plant is on track to be started in April 2024.

Do I Need to Take Special Precautions?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider

about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential fire fighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it up and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

System Improvements

We are constantly looking to make improvements to our water system to ensure that we are able to meet State and Federal drinking water regulations. We have made great strides in reducing our disinfection by-products in recent years. Even though we did not experience seasonal taste and odor issues in 2022. The village water plant is always looking for the best way to solve a problem if taste and odor becomes a issue.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. We ask that all customers help us protect our water resources, which play a major role in the success and vitality of our community.

If you have any questions about this report or concerning your drinking water, please contact Matthew Durfee, Chief Operator at 591-0040. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Village board meetings. The meetings are held the third Tuesday (subject to change) of every month at 6:00pm at the Village Hall (9 Water Street, Attica, New York). You can also get more information from our web site www.attica.org.

Sincerely, Matthew A Durfee, Chief Operator Attica Water Treatment Plant